

HP_DOSO_NUOSXL_T4.2024

Thời gian	FLOW	FLOW_IN	pH (6-9)	TSS (49.5)	TEMP (40)	COD (74.25)	NH4-N (4.95)
	<i>m3/h</i>	<i>m3/h</i>		<i>mg/L</i>	<i>oC</i>	<i>mg/L</i>	<i>mg/L</i>
01-04-2024	25.14	28.44	6.81	7.83	27.83	10.4	1.01
02-04-2024	28.98	34.55	6.81	7.83	27.83	10.4	0.63
03-04-2024	24.05	32.75	6.79	7.8	27.73	10.36	0.68
04-04-2024	25.69	36.89	6.81	7.83	27.83	10.4	0.56
05-04-2024	24.36	27.98	-	-	-	-	0.67
06-04-2024	26.57	27.83	7.2	6.57	26.98	4.83	0.62
07-04-2024	25.39	29.62	7.24	6.18	26.78	4.31	0.27
08-04-2024	19.85	25.01	7.24	6.18	26.78	4.31	0.26
09-04-2024	24.78	28.45	7.24	6.18	26.78	4.31	0.45
10-04-2024	19.62	22.82	7.25	6.43	25.95	3.08	0.47
11-04-2024	23.47	29.45	7.24	7.13	25.53	1.52	0.49
12-04-2024	23.02	28.42	7.21	7.7	26.27	1.35	0.52
13-04-2024	25.5	31.6	7.21	7.7	26.27	1.35	0.56
14-04-2024	17.79	21.31	7.29	9.57	27	1.32	0.29
15-04-2024	17.91	22.05	6.92	9.53	28.05	1.5	0.51
16-04-2024	34.24	41.95	6.92	9.53	28.05	1.5	0.64
17-04-2024	28.45	36.37	6.94	10.45	28.08	2.11	0.68
18-04-2024	30.23	43.16	6.91	8.98	27.98	3.12	0.78
19-04-2024	26.95	42.31	6.89	8.09	27.73	1.83	0.86
20-04-2024	23.39	36.52	6.89	8.09	27.73	1.83	0.99
21-04-2024	18.2	29.87	6.89	8.09	27.73	1.83	1.09
22-04-2024	17.38	28.39	6.89	8.09	27.73	1.83	1.11
23-04-2024	21.51	33.03	6.89	8.09	27.73	1.83	1.14
24-04-2024	21.95	38.31	7.19	8.52	28.43	2.4	1.08
25-04-2024	22.67	40.25	7.5	8.36	29.79	8.51	0.92
26-04-2024	24.56	38.61	7.32	7.2	29.96	13.85	1.3
27-04-2024	23.05	37.84	7.07	7.61	29.96	12.52	1.19
28-04-2024	18.31	31.45	7.11	5.71	30.29	11.21	0.66
29-04-2024	17.02	21.26	7.28	6.97	30.76	12.37	0.59
30-04-2024	9.4	12.97	7.25	9.16	30.97	13.08	0.46