

## HP\_DOSO\_NUOSXL\_T5.2024

Thời gian	FLOW	FLOW_IN	pH (6-9)	TSS (49.5)	TEMP (40)	COD (74.25)	NH4-N (4.95)
	<i>m3/h</i>	<i>m3/h</i>		<i>mg/L</i>	<i>oC</i>	<i>mg/L</i>	<i>mg/L</i>
01-05-2024	14.69	17.95	7.25	9.16	30.97	13.08	0.34
02-05-2024	33.65	46.65	7.21	8.2	28.74	10.5	0.35
03-05-2024	32.36	52.87	7.28	7.24	28.59	16.26	1.37
04-05-2024	28.08	50.1	7.34	6.25	28.73	19.23	0.22
05-05-2024	18.18	35.09	7.21	6.04	28.72	15.94	0.13
06-05-2024	24.31	40.06	7.2	8.54	28.7	21.6	0.08
07-05-2024	20.44	46.61	7.32	8.92	28.69	20.42	0
08-05-2024	21.95	43.59	7.31	7.62	28.7	15.62	0.18
09-05-2024	27.17	42.23	7.3	8.35	28.77	18.28	0.17
10-05-2024	34.84	46.44	-	6.22	22.48	16	0.21
11-05-2024	38.42	42.78	7.18	12.31	29.39	27.64	0.25
12-05-2024	23.35	39.57	7.29	9.66	29.19	19.43	0.37
13-05-2024	19.95	42.73	7.29	6.85	28.76	20.55	0.65
14-05-2024	22.15	40.91	7.29	8.19	28.98	18.98	0.52
15-05-2024	27.18	37.05	7.27	10.5	29.53	17.18	0.65
16-05-2024	25.61	52.9	7.11	9.94	29.42	18.11	0.31
17-05-2024	22.46	38	7.41	10.43	30.09	27.3	0.25
18-05-2024	18	30.8	7.57	11.44	30.66	19.74	0.24
19-05-2024	29.79	49.99	7.26	8.99	29.55	20.11	0.24
20-05-2024	29.08	51.59	7.17	7.82	28.66	18.28	0.3
21-05-2024	26.58	41.99	7.29	8.7	29.81	18.1	0.4
22-05-2024	23.47	37.81	7.28	7.57	30.69	17.03	0.34
23-05-2024	23.06	40.17	7.26	10.47	30.95	22.03	0.24
24-05-2024	30.69	41.74	7.39	16.17	30.66	17.68	0.28
25-05-2024	27.25	42.33	7.38	13.21	30.32	19.04	0.31
26-05-2024	27.23	42.33	7.34	7.36	30.7	16.69	0.38
27-05-2024	23	30.14	7.25	12.16	31.23	29.27	0.27
28-05-2024	19.59	34.85	7.37	14.04	31.51	22.35	0.24
29-05-2024	25.48	29.84	7.39	10.13	31.03	9.44	0.28
30-05-2024	26.73	36.14	7.48	10.37	31.21	12.26	0.27
31-05-2024	26.16	31.28	7.34	9.41	30.88	11.91	0.2