

**HP\_DOSO\_NUOSXL**

Thời gian	FLOW	FLOW_IN	pH (6-9)	TSS (49.5)	TEMP (40 đ C)	COD (74.25)	NH4-N (4.95)
01-11-2023	18.15	24.67	7.14	7.75	29.8	25.23	1.33
02-11-2023	22.69	24.75	7.5	8.22	29.92	28.93	1.32
03-11-2023	23.66	27.81	7.42	7.89	30.07	35.49	1.31
04-11-2023	29.74	32.03	7.53	9.64	30.19	36.23	1.16
05-11-2023	25.52	29.23	7.43	9.75	30.47	37.21	1.31
06-11-2023	21.54	24.36	7.33	8.7	30.79	30.71	1.38
07-11-2023	29.15	32.85	7.34	8.82	30.65	31.31	1.38
08-11-2023	28.18	27.56	7.29	7.89	30.82	37.2	1.36
09-11-2023	28.48	26.8	7.27	7.58	31.03	43.78	1.38
10-11-2023	23.03	26.78	7.28	7.72	31.22	52.49	1.42
11-11-2023	18.2	27.09	7.37	8.83	31.29	60.02	1.53
12-11-2023	25.62	25.27	7.03	9.09	30.64	63.18	1.31
13-11-2023	20.53	20.06	7.01	8.77	29.53	20.36	1.16
14-11-2023	31.02	29.2	7.11	7.66	28.22	6.39	1.15
15-11-2023	25.91	29.95	7.12	7.84	27.94	5.77	0.81
16-11-2023	27.48	32.44	7.11	8.41	28	27.83	0.55
17-11-2023	19.57	28.68	7.16	6.83	27.24	7.37	0.16
18-11-2023	20.14	31.24	7.18	8.76	26.85	11.86	0.57
19-11-2023	9.61	16.6	7.18	8.88	26.82	13.5	0.75
20-11-2023	12.56	21.08	7.17	8.8	26.81	12.8	0.57
21-11-2023	16.63	23.77	7.26	7.49	26.86	1.05	0.61
22-11-2023	19.83	24.42	7.15	9.96	26.87	4.07	0.75
23-11-2023	16.1	24.57	7.11	8.7	27.3	7.76	0.87
24-11-2023	21.03	26.56	7.36	8.41	27.57	10.97	0.84
25-11-2023	18.96	26.1	7.29	7.22	27.63	4.63	0.53
26-11-2023	12.36	15.92	7.08	8.82	27.91	4.06	0.76
27-11-2023	19.61	22.93	6.94	11.02	27.97	6.52	0.91
28-11-2023	20.4	28.14	6.97	7.52	27.61	5.68	0.97
29-11-2023	19.21	22.37	7.1	9.4	27.67	3.19	0.97
30-11-2023	25.1	25.79	7.09	10.92	27.86	5.37	1.05